



Unicoft®
a unique company of commerce



02

**INDUSTRIAL
EQUIPMENT & MATERIALS**

FARM EQUIPMENT

| LATCHED SPRINKLER PIPES



LATCHED SPRINKLER PIPES

CODE	INCH	DIAMETER (MM)
PRODUCT 1	1 1/2"	50
PRODUCT 2	2"	83
PRODUCT 3	2 1/2"	75
PRODUCT 4	3"	90
PRODUCT 5	4"	110
PRODUCT 6	4 1/2"	125
PRODUCT 7	5"	140
PRODUCT 8	6"	160



| DRIP IRRIGATION PIPES



17mm DRIP IRRIGATION PIPES

MIL	WALL THICKNESS (MM)	OD (MM)	MAX. WORKING PRESSURE (ATM)
6	0.15	16.40	1.00
8	0.20	16.50	1.20
10	0.25	16.60	1.40
12	0.30	16.70	1.60

22mm DRIP IRRIGATION PIPES

MIL	WALL THICKNESS (MM)	OD (MM)	MAX. WORKING PRESSURE (ATM)
8	0.20	22.60	1.10
10	0.25	22.70	1.40
12	0.30	22.80	1.60

25mm DRIP IRRIGATION PIPES

MIL	WALL THICKNESS (MM)	OD (MM)	MAX. WORKING PRESSURE (ATM)
8	0.20	25.60	1.00
10	0.25	25.70	1.30
12	0.30	25.80	1.40



| DRIP IRRIGATION FILTER SYSTEMS



DRIP IRRIGATION FILTER SYSTEMS

CODE	INCH	DIAMETER (MM)
PRODUCT 1	2 1/2"	75
PRODUCT 2	3"	90
PRODUCT 3	4"	110
PRODUCT 4	5"	140
PRODUCT 5	6"	160

DRIP IRRIGATION FILTER SYSTEMS

PE 32	PE 63	PE 80	PE 100
			
s.18,3mm	s.10,0mm	s.8,1mm	s.6,6mm
m.5,09kg/m	m.3,14kg/m	m.2,62kg/m	m.2,17kg/m

s.wall thickness / munit weight

PE 100 pipe manufactured between 20-500mm,
PE 32 and PE 40 pipes between 20-110mm.
PE pipes can be produced in coils including 110mm and
diameters above 8-12-13,50m lengths upon request.



| CORRUGATED PIPES



SN4 (32KN/m²) and SN8 (64KN/m²) pipes provided from 100mm to 1000mm in desired lengths.

Advantages are;

**Long life,
Production of desired length,
Smooth flow surface,
Easy joining methods, etc.**